

Specifications

Solid Plastic Shower Dividers and Dressing Compartments 7.5

Solid Plastic Shower Dividers and Dressing Compartments

Part 1 - General

1.01 Work Included

A. The shower dividers and dressing compartments shall be high-density polyethylene (HDPE) polymer material with floor anchored/overhead braced mounting style as manufactured by **ASI Accurate Partitions**, Burr Ridge, Illinois.

B. Furnish all labor and materials necessary for completion of work in this section as shown in the approved drawings and specified herein.

1.02 Related Work – Specified elsewhere shall include accessories and anchorage/blocking for attachment of stalls and compartments.

Part 2 – Product

2.01 Panels and Pilasters – Shall be 1” thick HDPE polymer that is water resistant and non-absorbent.

2.02 Material – The HDPE material shall have homogenous color throughout each component with ¼” machined edges for uniformity.

2.03 Color- Shall be selected from **Accurate’s** full range of standard designer colors.

2.04 Shower Divider Construction Design – Shall be floor anchored/overhead braced. Panels and pilasters attached to walls with standard hardware and anti-grip extruded aluminum headrail. Anti-grip extruded aluminum headrail incorporates channel for shower curtain hooks.

2.05 Dressing Compartment Construction Design - Shall be floor anchored/overhead braced and may be attached to the shower stalls. Panels and pilasters shall be attached to shower stall with standard hardware and anti-grip extruded aluminum headrail. Dressing compartment may be supplied with curtain or door.

Part 3 – Execution

3.01 Installation – Will be installed in accordance to the **ASI Accurate** installation instructions with compartments rigid, straight and plumb.

3.02 Warranty – **ASI Accurate Partitions** guarantees its solid plastic HDPE material against breakage, corrosion, and delamination for 25 YEARS from the date of receipt by the customer. If material is found defective during that period, the material shall be replaced free of charge. No credits or allowances shall be issued for any labor or expenses relating to the replacement of components covered under the warranty plan.